

## High traffic HAND DRYERS

### **SANIFLOW SERIES:**

If you want DURABILITY above all else, we recommend the SANIFLOW Series. While all our GREEN hand dryers are well made (the M06AF is available fabricated from cast iron), no other family can beat the SANIFLOW for good old fashioned durability. The E85 & E88 SANIFLOW models are icons of reliability & premium quality for heavy duty dryers. They offer excellent performance and service life, 30 years of design refinement and a 10 years premium limited warranty. It is a modern classic, built tough to cope any situation.

### **MEDIFLOW SERIES:**

If you are looking for a SMOOTH, HIGH PERFORMANCE and SUPER QUIET hand dryer (only 65 dB) - The MEDIFLOW M02A & M03A models are your perfect choice. They boast the legendary SANIFLOW airflow - over 315 CFM per hour - creating one of the best conventional hand dryers in the world. These models bring together high performance, high quality and superb styling. 10 years limited warranty back up the quality of this family. Recess ADA Kit is also available for disabled washrooms.

# saniflow®



- Heavy-duty & premium quality dryer
- One of the most powerful airflow performance
- Heating element includes a safety thermal cut-off
- 360° revolving nozzle
- Options in push button or automatic
- Available in most popular covers and finishes
- Adjustable distance (6" – 10") detection
- Premium warranty
- Vandal-resistant surfaced-mounted

To download technical data sheets, 3 CSI Specs, CADs, BIM and Green Info, please go to [www.saniflowcorp.com](http://www.saniflowcorp.com) or visit your preferred specification website:





**HEAVY DUTY**



**CLASSIC DESIGN FOR HEAVY-DUTY APPLICATIONS.**

The Saniflow Series (E85 & E88) offers a choice of premium quality heavy-duty hand dryers with excellent performance and service life, backed by a 10-year limited warranty. They feature easy maintenance, low noise levels, and a high factor of user safety. Utilizing precision component design, these dryers boast the most powerful airflow in the market that, combined with a comfortable drying temperature, reduces drying time to a minimum. Available in a variety of cover options, push button or automatic operation, surface mounted, and up to 1850W of total power.

**HAND DRYERS**

**saniflow®**

**Who is using SANIFLOW E85/E85A & E88/E88A Hand dryers:**

- Mendota Mental Health Institution, Madison, WI
- Ohio State Penitentiary, Youngstown, OH
- Carson Valley Swim Center, Minden, NV
- YMCA of Austin, MN
- YMCA of New York City, NY
- Rocky Mountains National Park, Estes Park, CO
- Lion County Safari, Loxahatchee, FL
- South Florida Institute, South Miami, FL
- Nassau Tennis Club, Skillman, NY
- Seminole Place, Charlottesville, VA
- Brazoria County Parks, Angleton, TX
- First United Methodist Church, Miami, FL
- Starvation State Park, Duchesne, UT
- Tapas y Tintos Restaurant, Miami Beach, FL
- Watermania Aqua Park, Richmond, BC, Canada



saniflow corp.

**saniflow**<sup>®</sup>  
cast iron covers

**HAND DRYERS**

push-button

**E85**

material: cast iron  
finish: white enamelled coating

Legend for symbols shown on last page of catalog



sensor operated

**E85A**

material: cast iron  
finish: white enamelled coating





**E85 · E85A** | | | | **COMPONENTS AND MATERIALS**

- Premium quality heavy-duty dryer.
- Cast iron one-piece cover with white porcelain enameled coating 1/4" (6 mm) thick.
- Cover fixed to the base plate with two vandal-proof lock system and lock with special key wrench.
- Universal-type motor protected by a 4-amp fuse with sealed self-lubricated ball bearings.
- Aluminum centrifugal turbine with double symmetric air inlet.
- Heating element with a safety thermostad.
- Fire resistant Plastic UL 94-V0 fan scroll.
- 360° revolving nozzle in chrome-plated zamak.
- Base plate: 1/8" (3 mm) thick aluminum, with four Ø 5/18" (8 mm) holes for wall mounting.
- Four silent-block to minimize vibrations and noise
- The detection distance is also adjustable.
- Available in stock at 110V 50/60 Hz.
- UL & CUL comply with UL499 norm and electrical safety for the EU.

**E85 · E85A** | | | | **TECHNICAL SPECIFICATIONS**

Estimated drying time	20-29 seconds	Total Power:	1.850 W
Voltage	100-120 V	Heating Element:	1.600 W
Frequency	50/60 Hz	Protection level	IP23
Power Consumption	16 Amps (120 V)	Nominal airflow	290 CFM
Electrical insulation	Class I (ground required)	Effective airflow	203 CFM
Motor Power	250 W	Air temp (at 4" distance/70°F)	128.6°F (42°C)
rpm	5.800 rpm	Dimensions	11 1/8" x 10" x 8-1/2"
Air speed:	5.512 LFM	Weight	23.35 Lbs. (11.5 Kg)
		Noise level	70 dB



saniflow corp.

# HAND DRYERS

saniflow®

metal covers

push-button

Legend for symbols shown on last page of catalog

## E88



material: steel white  
finish: enamelled coating



## E88C



material: steel  
finish: bright chromed



## E88CS



material: steel  
finish: satin chromed



## E88O



material: steel  
finish: gold finish





### E88 · E88C · E88CS · E88O | | | | COMPONENTS AND MATERIALS

- Premium quality heavy-duty dryer.
- Push button metal sheet cover either with white porcelain enameled coating 5/64" (1.9 mm) thick or with stainless steel or golden finish.
- Cover fixed to the base plate with two vandal-proof lock system and lock with special key wrench.
- Universal-type brush motor protected by a 4-amp fuse with sealed self-lubricated ball bearings.
- Aluminum centrifugal turbine with double symmetric al inlet.
- Heating element with a safety thermostad.
- Fire resistant Plastic UL 94-V0 fan scroll.
- 360° revolving nozzle in chrome-plated zamak.
- Base plate: 1/8" (3 mm) thick aluminum, with four Ø 5/18" (8 mm) holes for wall mounting.
- Four silent-block to minimize vibrations and noise
- The chrome-plated zamak button activates an electronic timer with a 34-second cycle.
- Available in stock at 110V 50/60 Hz.
- UL & CUL comply with UL499 norm and electrical safety for the EU.

### E88 · E88C · E88CS · E88O | | | | TECHNICAL SPECIFICATIONS

Estimated drying time	20-29 seconds	Total Power	1.850 W
Voltage	100-120 V	Heating Element	1.600 W
Frequency	50/60 Hz	Protection level	IP23
Power Consumption	16 Amps (120 V)	Nominal airflow	290 CFM
Electrical insulation	Class I (ground required)	Effective airflow	203 CFM
Motor Power	250 W	Air temp (at 4" distance/70°F)	128.6°F (42°C)
rpm	5.800 rpm	Dimensions	11" x 9-3/4" x 8-1/4"
Air speed	5.512 LFM	Weight	14.33 Lbs. (6.5 Kg)
		Noise level	70 dB



saniflow corp.

**saniflow**<sup>®</sup>  
metal covers

**HAND DRYERS**

sensor operated

Legend for symbols shown on last page of catalog

**E88A** |||||

material: steel white  
finish: enamelled coating



**E88AC** |||||

material: steel  
finish: bright chromed



**E88ACS** |||||

material: steel  
finish: satin chromed



**E88AO** |||||

material: steel  
finish: gold finish





**E88A · E88AC · E88ACS · E88AO** | | | | COMPONENTS AND MATERIALS

- Premium quality heavy-duty dryer.
- Sensor operated, metal sheet cover either with white porcelain enamelled coating 5/64" (1.9 mm) thick or with stainless steel or golden finish.
- Cover fixed to the base plate with two vandal-proof lock system and lock with special key wrench.
- Universal-type brush motor protected by a 4-amp fuse with sealed self-lubricated ball bearings.
- Aluminum centrifugal turbine with double symmetric air inlet.
- Heating element with a safety thermostad.
- Fire resistant Plastic UL 94-V0 fan scroll.
- 360° revolving nozzle in chrome-plated zamak.
- Base plate: 1/8" (3 mm) thick aluminum, with four Ø 5/18" (8 mm) holes for wall mounting.
- Four silent-block to minimize vibrations and noise
- Adjustable (6-10") IR electronic detection sensor
- Available in stock at 110V 50/60 Hz.
- UL & CUL comply with UL499 norm and electrical safety for the EU.

**E88A · E88AC · E88ACS · E88AO** | | | | TECHNICAL SPECIFICATIONS

Estimated drying time	20-29 seconds	Total Power	1.850 W
Voltage	100-120 V	Heating Element	1.600 W
Frequency	50/60 Hz	Protection level	IP23
Power Consumption	16 Amps (120 V)	Nominal airflow	290 CFM
Electrical insulation	Class I (ground required)	Effective airflow	203 CFM
Motor Power	250 W	Air temp (at 4" distance/70°F)	128.6°F (42°C)
rpm	5.800 rpm	Dimensions	11 1/8" x 10" x 8-1/2"
Air speed	5.512 LFM	Weight	14.33 Lbs. (6.5 Kg)
		Noise level	70 dB



saniflow corp.



## SANIFLOW Corp.

# The company behind the technology

## A Track Record of Excellence

Saniflow Hand Dryer Corp. has established itself as one of North America's leading brands of eco-friendly hand-drying solutions. We offer **the largest selection of fast, stylish, and energy-efficient products**, designed to fit every type of washroom facility.

Our company works with design professionals, contractors, owners, and facility managers to ensure that every project gets the right dryers for its needs. **Our products are in use in highly recognizable office buildings, entertainment centers, shopping facilities, schools and universities throughout North America.**

Saniflow hand dryers benefit from **40 years of manufacturing experience** and expertise by our parent company, **Mediclinics S.A., the largest exporter of hand dryers in the world** and a leader in the European and global markets. Dryers produced in our manufacturing facility in Barcelona, Spain, **are used in over 120 countries worldwide.** Quality is assured through every step of the manufacturing process, and each dryer is tested and approved before shipping.

## Commitment to Our Customers

We stand behind our products, and consider every sale as the beginning of a customer service relationship. Under our **Quick Ship Program**, applicable to all distribution channels, all products listed in our catalog ship within 36 hours (under normal circumstances) on purchase orders from distributors that have established credit terms with Saniflow. Our team of customer satisfaction professionals is available to answer any product questions and **offer full technical support.**

## Responsible Manufacturing

We are equally committed to sustainability in operations. We use a **combination of new and recycled materials**, many of them also recyclable, and have instituted advanced waste stream separation in manufacturing.

## NORTH AMERICAN REFERENCES

### U.S.A. & CANADA

#### UNIVERSITIES:

- Rutgers University, Piscataway, NJ
- University of Rochester, Rochester, NY
- Northwestern Kellogs University, Chicago, IL
- State University College, NY
- Pacific University, OR
- Savannah State University, Savannah, GA
- Texas Tech University, TX
- Pennsylvania State University - Residential Housing, PA
- San Diego State University, San Diego, CA
- Flagstaff Union University, Flagstaff, AZ
- Central Michigan University, Mount Pleasant, MI
- University of Notre Dame, IN
- Berkley College, Woodland Park, NJ
- University of California - Berkeley, Vance Brown Bldg., CA
- State University College, NYC, NY
- Texas Tech University, Lubbock, TX
- University of Notre Dame, Notre Dame, IN
- Madison College, Madison, WI

#### SCHOOLS:

- Dallas-Ft. Worth school district, TX
- Chula Vista school district, CA
- San Jose City College, San Jose, CA
- Dan D. Rogers elementary school, Dallas, TX
- Duluth High School, Wood Land Hills Academy, Duluth, MN
- Rivers Middle School, Charleston, S.C.
- Justin Siena High School, Napa, CA
- York College of Pennsylvania, PA
- Troy Shorewood Elementary School, Shorewood, IL
- Appleton city school district, Appleton City, MO
- Magnolia school district, Jefferson, LA
- Aquinas Montessori school, VA
- Moorpark Unified school district, Moorpark, CA
- Tumwater High school, Tumwater, WA
- The Town School, NYC, NY
- Valley Christian Child Care Center, Saint Clairville, OH
- Ecole Polymechanique, Laval, Quebec, Canada
- Academie Ste. Therese, Rosemere, Quebec, Canada
- Aquinas Montessori School, Alexandria, VA

#### SHOPPING CENTERS:

- Round Rock Prem Outlet Mall, Round Rock, TX
- Denver Pavilions Moll, Denver, CO
- West Hawaii civic center, Hilo, HI
- Chinook shopping Center, Calgary, Alberta, Canada
- Fairview park Mall, Kitchener, Ontario, Canada
- Polo Park shopping Center, Winnepeg, Manitoba, Canada

#### HOSPITALS:

- Mendota Mental Health Institution, Madison, WI
- IHC Hospital, Sant Lake City, UT
- Fresenius medical Center, Pharr, TX
- Bingham memorial hospital, Blackfoot, ID
- Cano Medical Center, Pembroke Pines, FL
- Conyers Medical Clinic, Conyers, GA
- Curious Mind Child Development Center, Washington D.C.
- Riverside Pediatric Hospital, Newbury Port, MA
- South Lake Hospital, Clermont, FL

#### STADIUMS & MOVIE THEATERS:

- Dodger Stadium, Los Angeles, CA
- Delaware State Fairgrounds, Harrington, DE
- Brewer H.S. Stadium, Fort Worth, TX
- Cinemark movie theaters, nationwide
- Century movie theaters, nationwide

#### LIBRARIES & MUSEUMS:

- Brooklyn Children's Museum, Brooklyn, NY
- Neshoba County public library, Philadelphia, MS
- Ann Arbor Library, Ann Arbor, MI
- Austin Hill Country Galleria, Bee Cave, TX
- Jefferson Davis Home & President Library, Biloxi, MS



## More than a decade drying your hands

### **AIRPORTS:**

- United Airlines VIP red carpet Clubs, nationwide
- JFK International Airport New York, NY
- U.S. El Segundo air force airport, El Segundo, CA
- U.S. Army Norfolk air force airport, Norfolk, VA
- Schole international airport, Galveston, TX
- San Juan International airport, San Juan, PR

### **STORES:**

- Wal Mart Stores & Superstores, nationwide
- Abercrombie & Fitch (Hollister Stores), national & international
- GAP Store, Denver Pavilions Mall, Denver, CO
- CVS Stores, nationwide
- Weir's furniture Village, nationwide

### **HOTELS:**

- Gran Hyatt Hotel Chicago, Chicago, IL
- Gran Hyatt Hotel San Francisco, CA
- The Standard Hotel, New York, NY
- Mayfair Hotel, Miami, FL
- Loews Philadelphia Hotel, Philadelphia, PA

### **LEISURE AREAS & YMCA:**

- Indianapolis Zoo, Indianapolis, IN
- Lion County Safari, Loxahatchee, FL
- Arbolarium of Dallas, TX
- Watermania Aqua Park, Richmond, BC, Canada
- Bowl O Drome Bowling Center, Ithaca, NY
- YMCA of New York City, NY
- YMCA of Greater Miami, FL
- YMCA of Austin, MN
- Arbolarium of Dallas, Dallas, TX
- Bayside YMCA of Barrington, RI

### **RECREATIONAL PARKS & VISITOR CENTERS:**

- White House Visitors Center, Washington D.C.
- Rocky Mountain National Park, Estes Park, CO
- South Florida parks & recreation Department, FL
- St. Laundry visitor center, Opelousas, LA
- Lake Norman State Park Visitor Center, NC

### **RESTAURANTS:**

- IHOP restaurants in Broward & Miami-Dade county, FL
- Dunking Donuts, Chicago, IL
- Arby's restaurant, New Albany, IN
- Subways franchise restaurants, FL
- P.F. Chang's Restaurants, Quebec, Canada
- Dominos Pizza, New York, NY
- Havana Spice, Miami, FL
- Kokoriko restaurants, FL
- Pollo Tropical restaurants, San Juan, PR
- Havana Spice, Miami, FL
- IVAR'S restaurant, Seattle, WA
- Novechento Downtown restaurant, Miami, FL
- Vittoria Coffe, Boston, MA

### **CHURCHES:**

- Philadelphia Baptist church, FL
- Union Gospel Mission, Seattle, WA
- Catholic Charities, Chicago, IL
- Church of the Holy Spirit, Lake Forest, IL
- First United Methodist Church, Miami, FL

### **OTHERS:**

- Ohio State Penitentiary, Youngstown, OH
- Texas Department of Transportation, TX
- New York Stock Exchange Building, New York, NY
- Brazos Town Hall, Rosenberg, TX
- Nassau Tennis Club, Skillman, NY
- Glendale Heights Police Station, Glendale Heights, IL



**LOW TRAFFIC**

This model is suitable for installation in areas with low traffic.



**MEDIUM TRAFFIC**

This model is suitable for installation in areas with medium traffic.



**HIGH TRAFFIC**

This model is suitable for installation in areas with high traffic.



**ELECTRICAL PROTECTION**

This model incorporates elements that ensure electrical insulation.



**LOW ELECTRICITY CONSUMPTION**

Eco-efficient hand dryer with low electricity consumption/high energy savings.



**VALUE FOR MONEY**

This model offers excellent value for money.



**VANDAL-PROOF**

This model incorporates elements of features that make it difficult or impossible to damage or remove.



**NUTS AND BOLTS INCLUDED**

This model includes the nuts and bolts necessary for it to be installed on masonry walls.



**LOCKED WITH KEY**



**BIOCOTE**

Anti-microbe treatment for DUALFLOW PLUS hand dryers.



**ADA STANDARDS**

Model which, when installed correctly, complies with the Accessibility Guidelines for Buildings and Facilities ADAAG.



**5 YEARS LIMITED WARRANTY**



**10 YEARS LIMITED WARRANTY**



**UNITS PER PALLET**

Unit quantities per pallet. The type of pallet is in between brackets, and dimensions of the pallets are as follows:

- (A) 120 x 80 x 110 cm
- (B) 120 x 80 x 120 cm
- (C) 120 x 80 x 130 cm



General Catalog 2013-2014 - MK272

Distributed by



3325 NW 70th Avenue,  
Miami, FL 33122  
USA  
Toll-free: +1 (877) 222 91 25  
Tel: (305) 424 2433  
Fax: (305) 424 2435  
sales@saniflowcorp.com  
www.saniflowcorp.com